

Artikelnummer:  
**70515**

EAN-Nummer:  
4000870705155

Name  
**FN SimpLED Strip Set 10m Motion RGB 17W 230/12V DC Weiß Kunststoff**

Hersteller  
Paulmann

### Artikelinfo

|               |  |
|---------------|--|
| Interner Code | 705.15                                       |
| EAN           | 4000870705155                                |
| Farbe         | Weiß   |
| Material      | Kunststoff                                   |
| Garantie      | 5 Jahre                                      |
| Hersteller    | Paulmann                                     |
| Lieferumfang  | Montageanleitung Fernbedienung <br>Batterien |



### Abmessungen

|                                   |                      |
|-----------------------------------|----------------------|
| Gewicht netto                     | 475 g                |
| Länge                             | 10,04 m              |
| Sekundäranschlussleitung          | 100+10 cm            |
| Verpackungsmaße BxHxL             | 20.7 x 25.6 x 8.6 cm |
| Abmessung (Höhe x Breite x Tiefe) | H: 3 T: 10 mm        |














### Technische Daten


|               |              |
|---------------|--------------|
| Batterietyp   | 1xCR 2025/3V |
| Dimmbar       | Ja           |
| Spannung      | 230/12 V     |
| Trafoleistung | 18 VA        |

### Leuchtmitteldaten


|                          |                     |
|--------------------------|---------------------|
| Bestückung               | 17 W                |
| Anzahl Bestückung        | 1x                  |
| Entspricht Glühlampe     | 51 W                |
| Anzahl Brennstellen      | nv                  |
| Lebensdauer              | 20.000 h            |
| Bestückung               | incl. 1x17 W        |
| Leuchtmittelleigenschaft | LED fest integriert |

|  |  |  |   |
|--|--|--|---|
| <p>Art.-Nr.: <b>705.13</b><br/><b>705.14</b><br/><b>705.15</b></p> <p>PLIR 04/19</p> <p></p> | <p> <b>705.13: 5m</b></p> <p> 1x</p> <p> 1x</p> <p> 1x</p> | <p><b>705.14: 7.6m</b><br/><b>705.15: 10m</b></p> <p> 1x</p> <p> 1x</p> <p> 1x</p> <p> 1x</p> | <p></p> <p></p> |
|--|--|--|---|


**A**




**B**



**C**



**D**








Paulmann




[www.paulmann.com/manual-digled/all](http://www.paulmann.com/manual-digled/all)

- |   |   |   |  |
|---|---|---|--|
|    | <b>Static Light effects:</b><br>dimming brightness up<br><b>Dynamic Light effects:</b><br>increases speed of light effect |    | <b>Static Light effects:</b><br>dimming brightness down<br><b>Dynamic Light effects:</b><br>slows down speed of light effect |
|    | W/W/W shift key   |    | ON/OFF key   |
|    | Auto-cycle mode   |    | flow to two terminals from centre<br>(CS,C3,C7,C16)  |
|    | flow to centre from two terminals<br>(CS,C3,C7,C16)   |    | IC number increasing cycle   |
|    | eight-color choice key in static model  |    | Trail into left (CS,C3,C7,C16)   |
|    | Trail into right (CS,C3,C7,C16)   |    | Trail from two directions in turn  |
|   | three-color choice key in static model  |   | Horse race to left direction (CS,C3,C7,C16)  |
|  | Horse race to right direction (CS,C3,C7,C16)  |  | Flash function key (CS,C3,C7,C16)  |
|  | seven-color choice key in static model  |  | spread to left (CS,C3,C7,C16)  |
|  | spread to right (CS,C3,C7,C16)  |  | Jump efficient key (CS,C3,C7,C16)  |
|  | sixteen-color choice key in static model  |  | Queued color running to left with a tag<br>(CS,C3,C7,C16)  |
|  | Queued color running to right with a tag<br>(CS,C3,C7,C16)  |  | Queued color running with a tag from two<br>directions in turn   |

on / off


Dimm



 IC number increasing cycle

white / warm white


Light effects

Mix of all effects

Mix of 

Fade  

Color jump

Mix of 

Speed