

300Mbps Wireless N 4G LTE Router

Model: MB110-4G











Connect up to 32 Devices[†]



SIM Card Plug and Play



4G(TDD&FDD)
/3G Compatible














Superfast 4G LTE Speed for Reliable Wi-Fi

Working as a 4G router, the MB110-4G uses 4G LTE technology to achieve super fast speeds up to 150 Mbps download and 50 Mbps upload. It can also share a Wi-Fi network with maximum speed of 300 Mbps on 2.4 GHz for gaming, streaming, and more.









Ideal Use Places

Features



Design for Maximum Network Coverage

Advanced LTE antennas make efficient and stable connections to every device. Power Amplifier and Low Noise Amplifier boost sending and receiving capabilities, creating a wide-coverage Wi-Fi network for your home.



Supports Up to 32 Devices

Easily share a 3G/4G connection. Connect up to 32 wireless devices with ease while ensuring dependable network stability.



Available WAN Connection Backup

With a fully functional WAN/LAN port, MB110-4G can work as a router which is compatible with cable, fiber, and DSL modems.



Specifications

Hardware

• LTE:

Download Speed 150 Mbps +Upload Speed 50 Mbps[‡]

• Ports:

1× 10/100 Mbps LAN/WAN +1× 10/100 Mbps LAN 2×4G/3G External Antenna Ports

Antennas:


2 Internal 4G LTE Antennas

· Dimensions:

3.74×2.40×6.53 in (95×61.05×165.97 mm)

External Power Supply:

9V/0.85A



Wireless

• Network Type (EU):

4G: FDD-LTE B1/B3/B5/B7/B8/B20/B28

(2100/1800/850/2600/900/800/700 MHz)

TDD-LTE B38/B40 (2600/2300 MHz)

3G: HSPA+/HSPA/UMTS B1/B5/B8 (2100/850/900 MHz)

Network Type (UN):

4G: FDD-LTE B1/B2/B3/B4/B5/B7/B8/B28/B66

(2100/1900/1800/1700/850/2600/900/700/1700 MHz)

TDD-LTE B40 (2300MHz)

3G: HSPA+/HSPA/UMTS B1/B2/B4/B5/B8(2100/1900/1700/850/900 MHz)

• Wireless Standards: IEEE 802.11b/g/n

• Frequency: 2.4 GHz

• Signal Rate: 300 Mbps

• EIRP (CE): < 20 dBm (2.4 GHz)

• Reception Sensitivity:

11g 54M: -74dBm

11N HT20 MCS7: -73dBm

11N HT40 MCS7: -70dBm

• Wireless Function:

Enable/Disable Wireless Radio, Wireless Schedule, WMM, Wireless Statistics

• Wireless Security:

64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK encryptions



Specifications

Software

Operating Modes:

3G/4G Router, Wireless Router

WAN Type:

Dynamic IP/Static IP/PPPoE/PPTP(Dual Access)/L2TP(Dual Access)

• DHCP:

Server, DHCP Client List, Address Reservation

· Port Forwarding:

ALG, Virtual Server, Port Triggering, UPnP, DMZ

• Dynamic DNS:

DynDns, NO-IP

• Security:

IPv4 SPI Firewall, IPv6 Firewall, IP and MAC Address Binding

• Protocols:

IPv4, IPv6

• Management:

Local Management, Remote Management

• Administration:

Upgrade Firmware, Factory Default, System Log, Diagnostic Tools

· Guest Network:

2.4 GHz Guest Network

Others

· Certification:

CE, RoHS

Requirements:

Internet Explorer 11+, Firefox 12.0+, Chrome 20.0+, Safari 4.0+, or other JavaScript-enabled browser

Nano SIM Card

Environment:

Operating Temperature: 0°C~40°C (32°F~104°F)

• Package Contents

300 Mbps Wireless N 4G LTE Router MB110-4G

Power Adapter

RJ45 Ethernet Cable

Quick Installation Guide

© 2024 MERCUSYS

†Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless data throughput and wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

\$\pmaximum 4G download speeds depend on external factors such as the local 4G network coverage, data plan, real-time network capacity, client limitations, and environmental factors.