

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2013


INFORMATION		Value	Unit
1. Supplier name or trademark		HANNS-G	
2. Model identifier		HL274HPB PLUS(HSG1223+)	
3. Energy Efficiency Class for standard Dynamic Range (SDR)		D	
4. On mode power demand for Standard Dynamic Range (SDR)		17	W
5. Energy Efficiency Class for standard Dynamic Range (HDR)			
6. On mode power demand in High Dynamic Range (HDR) mode			W
7. Off mode, power demand		0.3	W
8. Standby mode power demand		0.3	W
9. Networked standby mode power demand			W
10. Electronic display category		Monitor	
11. Size ratio		16 : 9	
12. Screen resolution (pixels)		1920 x 1080	pixels
13. Screen diagonal		68.6	cm
14. Screen diagonal		27	inches
15. Visible screen area		2010.7	cm ²
16. Panel technology used		LED LCD	
17. Automatic Brightness Control (ABC) available		No	
18. Voice recognition sensor available		No	
19. Room presence sensor available		No	
20. Image refresh frequency rate		60	Hz
21. Minimum guaranteed availability of software and firmware updates (until):		01 03 2029	
22. Minimum guaranteed availability of spare parts (until)		01 03 2028	
23. Minimum guaranteed product support (until)		01 03 2024	
24. Power supply type:		Internal	
i External standardised power supply (included in the product box)	Standard name		
	Input voltage		V
	Output voltage		V
ii External standardised suitable power		Standard name	

INFORMATION		Value	Unit
supply (if not included in the product box)			
	Required output voltage		V
	Required delivered current		A
	Required current frequency		Hz

HL 274 HPB (ROX)

68,6 cm / 27" Diagonal
LED Backlight – Format 16:9

- 27" 16:9 LED Backlight Monitor
- 1920 x 1080 Full HD 1080p
- 2 msec Fast Response Time
- Triple Input: HDMI+DVI+VGA
- Built-In Stereo Speakers
- Tilt and Wall-Mountable (VESA)
- Low Power Consumption
- Multi-Video Modes
- ECO Friendly
- Flicker Free
- HDMI Cable Included



68,6 cm / 27"

Part. No.: HL 274 HPB (ROX)

SIZE, RESOLUTION



27"
68,6 cm



Full HD
1920 x 1080

CONNECTIVITY, SPEAKERS



VGA
HDMI
DVI-D



Built-In
Stereo Speaker

RESPONSE TIME, VESA



2 msec



VESA
Wall-Mountable

OTHER FEATURES



Eco
Friendly



Low
Power
Cons.





Tilt



Video
Modes

Display Size	68,6 cm / 27" Diagonal
Panel Type	TFT – LED Backlight
Aspect Ratio	16:9
Resolution (H x V)	1920 x 1080 Full HD
Brightness	300cd/m ²
Contrast (Typ.)	1.000:1 (Typical)
Contrast (Active)	10.000.000:1 (Active)
Viewing Angle L/R; U/D	170° H / 160° V (CR > 10) – 176° / 170° (CR > 5)
Response Time	2 msec (w/OD)
Pixel Pitch	0,311 (H) x 0,311 (V) mm
Panel Surface	Anti-Glare; 3H Hardness Coating
Display Colors	16.7M Colors
Horizontal Frequency	31 ~ 83 kHz
Vertical Frequency	56 ~ 75 Hz
Max Display Frequency	1920 x 1080 @ 60Hz
Input 1	D-Sub (VGA)
Input 2	DVI-D
Input 3	HDMI (Ver. 1.4)
Speakers	Yes, 2W x 2; Earphone Audio Out
Power Consumption	On: 17,4W; Stand-by: 0,3W; Off: 0,26W (Energy Consumption related to EPA Energy Star Version 7.1)
AC Power Range	AC 100 ~ 240 Volt; 50 ~ 65 Hz
Product Dimensions	639,9 x 208 x 455,5mm (W x D x H)
Packing Dimensions	712 x 120 x 453 mm (W x D x H)
Net / Gross Weight	5,2 Kgs / 6,5 Kgs (±0,3KG)
Bezel & Color Plan	Black, front bezel - Texture ,Rear cover-Texture , Arm & base : Black Texture

VESA Mounting	100 x 100 mm
Monitor Stand	Regular Stand
Tilt / Kensington Lock	-5°~20° / Yes
Pivot / Swivel	No / No
Controls	Power, Input / Enter, Bri (+), Vol (-), Menu
Color	Warm, Nature, Cool, User Mode
Preset Mode	PC, Movie, Game, Eco Modes
On Screen Display	12 OSD Languages
Flicker Free	Yes
Accessory	Power Cable (1,5m); HDMI Cable (1,5m); Warranty Card; Quick Start Guide



Supplier's Name	HANNspree
Model Name	HL274HPB
Energy efficiency class for standard Dynamic Range (SDR)	D
Annual Energy Power Consumption (kWh/1000h)	17 kWh/1000h
On mode power demand for Standard Dynamic Range (SDR)	17 W
Off mode power demand (W)	0,3 W
Standby mode power demand (W)	0,3 W
Screen Diagonal (cm / inches)	68,6cm / 27"
Resolution	1920 x 1080

PART. NO.:
HL 274 HPB (ROX)

