

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2013

INFORMATION		Value	Unit
1. Supplier name or trademark		Hannspree	
2. Model identifier		HC322PPB(HSG1437)	
3. Energy Efficiency Class for standard Dynamic Range (SDR)		E	
4. On mode power demand for Standard Dynamic Range (SDR)		26	W
5. Energy Efficiency Class for standard Dynamic Range (HDR)			
6. On mode power demand in High Dynamic Range (HDR) mode			W
7. Off mode, power demand		0.2	W
8. Standby mode power demand		0.4	W
9. Networked standby mode power demand			W
10. Electronic display category		Monitor	
11. Size ratio		16 : 9	
12. Screen resolution (pixels)		2560 x 1440	pixels
13. Screen diagonal		81	cm
14. Screen diagonal		32	inches
15. Visible screen area		2823	cm ²
16. Panel technology used		LED LCD	
17. Automatic Brightness Control (ABC) available		No	
18. Voice recognition sensor available		No	
19. Room presence sensor available		No	
20. Image refresh frequency rate		60	Hz
21. Minimum guaranteed availability of software and firmware updates (until):		01 04 2029	
22. Minimum guaranteed availability of spare parts (until)		01 04 2028	
23. Minimum guaranteed product support (until)		01 04 2024	
24. Power supply type:		External	
i External standardised power supply (included in the product box)	Standard name		
	Input voltage		V
	Output voltage		V
ii External standardised suitable power		Standard name	

INFORMATION		Value	Unit
supply (if not included in the product box)			
	Required output voltage		V
	Required delivered current		A
	Required current frequency		Hz

HC 322 PPB

81,28 cm / 32" Diagonale
LED Backlight – Format 16:9

- 32" 16:9 LED Backlight Monitor
- 2560 x 1440 WQHD Auflösung
- 178° ultraweiter Betrachtungswinkel
- Eingänge : Display Port+HDMI+VGA
- Eingebaute Stereo Lautsprecher
- Neigbar und VESA Aufnahme
- Energieeffizient
- Multi-Video Einstellungen
- Low Blue Light Modus
- Flimmerfrei



81,28 cm / 32"

Part. No.: HC 322 PPB

Größe, Auflösung



32" – 16:9
Seitenverhältnis



WQHD
2560 x 1440

Anschlüsse, Lautsprecher




VGA
HDMI
DP



Eingebaute Stereo
Lautsprecher

Betrachtungswinkel, VESA



178° ultraweiter
Betrachtungswinkel



Wandmontage VESA

Andere Eigenschaften



Umwelt
freundlich



Low Blue
Light
Modus





Neigbar



Flimmer
frei

Bildschirmgröße	81,28cm / 32" Diagonale
Panel Typ	TFT – LED Backlight AMVA Panel (*)
Seitenverhältnis	16:9
Auflösung (H x V)	2560 x 1440 WQHD
Helligkeit (Nativ)	300cd/m ² (Nativ)
Kontrast (Nativ)	3.000:1 (Nativ)
Kontrast (Aktiv)	10.000.000:1 (Aktiv)
Betrachtungswinkel L/R; O/U	178° H – 178° V (CR >10)
Reaktionszeit	5 msec (mit OD)
Pixelabstand	0,27675 (H) x 0,27675 (V) mm
Bildschirmoberfläche	Blendfrei, Haze level 25%; Härte 3H
Bildschirmfarben	1.07B Farben
Horizontale Frequenz	31 ~ 113 kHz
Vertikale Frequenz	56 ~ 75 Hz
Max. Monitor Frequenz	2560 x 1440 @ 60Hz
Eingang 1	D-Sub (VGA)
Eingang 2	HDMI 1.4
Eingang 3	Display Port 1.2 / Audio In
Eingebaute Lautsprecher	Ja, 2W x 2, 4Ω
Energieverbrauch	An: 26W; Stand-by: 0,4W; Aus: 0,2W
Stromquelle	Externes Netzteil DC: 12V – 5A AC 100 ~ 240 Volt; 50 ~ 60 Hz
Produktmaße	738,7 x 517,6 x 220,8 mm mit Standfuß (B x H x T) 738,7 x 435,5 x 60,2mm ohne Standfuß (B x H x T)
Verpackungsmaße	810 x 515 x 135 mm (B x H x T)
Netto / Brutto Gewicht	7,59 Kg / 9,71 Kg

VESA Aufnahme	100 x 100 mm
Monitorstandfuß	Normal
Neigbar/ Kensington Lock	-5° ~ 15° (±2°) / Ja
Pivot / schwenkbar	- / -
Bedienelemente	MENU / ◀ / ▶ / EXIT / POWER
Farbeeinstellungen	5500K / 6500K / 9300K / User Modes
Voreinstellungen	PC, ECO, Movie, Game Modes
Bildschirmanzeige	7 OSD Sprachen
Weitere Eigenschaften	Low Blue Light Modus / Flimmerfrei
Zubehör/Lieferumfang	Externe Netzteil (1,2m); Stromkabel (1,5m); HDMI Kabel (1,5m); Garantiekarte; Schnellstartanleitung



Herstellername	HANNspree
Modellname	HC322PPB
Energieeffizienzklasse für Standard Dynamic Range (SDR)	E
Energieeffizienzklasse für Standard Dynamic Range (SDR) (kWh/1000h)	26 kWh/1000h
Leistungsaufnahme im Betrieb	26 W
Leistungsaufnahme in ausgeschaltetem Zustand	0.2 W
Leistungsaufnahme im Standbybetrieb	0.4 W
Displaygröße (cm / Zoll)	81,28 cm / 32"
Bildschirmauflösung	2560 x 1440

PART. NO.:
HC 322 PPB



4 711404 023590 >

* Energy consumption XYZ kWh per year, based on the power consumption of the monitor operating 4 hours per day for 365 days. The actual energy consumption will depend on how the monitor is used.

* "AMVA" word mark / trademark and related patents on technologies belong to their respective owners.

Display Solutions