

物质安全资料表

Material Safety Data Sheet

1. 物品及厂商资料 Material and Company Identification:

物品识别 Material Identification:

RW50 3.91V 4850mAh/18.97Wh(Rated) 5000mAh/19.55Wh(Typical)

锂离子电池组/二次锂电池组。

RW50 3.91V 4850mAh/18.97Wh(Rated) 5000mAh/19.55Wh(Typical)

RECHARGEABLE LITHIUM ION BATTERY。

制造商 Manufacturer:

飞毛腿（福建）电子有限公司

SCUD (FUJIAN) ELECTRONICS CO., LTD.

中国福建省福州市马尾区江滨东大道98号350015

No.98, Jiangbin East Avenue, Mawei District, Fuzhou, Fujian, China 350015

电话 Tel: +86 0591 87307703

传真 Fax: +86 0591 87307773



2. 危险性概述

紧急情况概述：本产品是一个电池。此物出售时暴露的安全信息已给出。产品的预期用途不会导致化学物质的暴露。如果破裂，存在以下危害。

GHS 危险性类别：急性毒性，经口 (4)

皮肤腐蚀/刺激 (2)

严重眼损伤/眼刺激 (2A)

特异性靶器官毒性，一次接触；呼吸道刺激 (3)

GHS 标记要素，包括预防性的陈述：

危害类型象形图：



信号词：警告

危险性说明：

H302 吞咽有害

H315 造成皮肤刺激

H319 造成严重眼刺激

H335 可能引起呼吸道刺激防范说明：

可充式锂离子电池组 Rechargeable Li-ion

预防措施:

- P264 作业后彻底清洗皮肤和衣物。
- P270 使用本产品时不要进食、饮水或吸烟。
- P280 戴防护手套、穿防护服、戴防护眼罩和戴防护面具。
- P261 避免吸入粉尘、烟、气体、烟雾、蒸气和喷雾。
- P271 只能在室外或通风良好之处使用。事故响应:
- P301 + P310 如误吞咽: 立即呼叫解毒中心或医生。
- P330 漱口。
- P302 + P352 如皮肤沾染: 用大量肥皂和水清洗。
- P321 具体治疗 (参看附加急救指示)。
- P332 + P313 如发生皮肤刺激或皮疹: 求医。
- P362 + P364 脱掉所有沾染的衣服, 清洗后方可重新使用。
- P305 + P351 + P338 如进入眼睛: 用水小心冲洗几分钟。如戴隐形眼镜并可方便地取出, 取出隐形眼镜, 继续冲洗。
- P337 + P313 如仍觉眼刺激: 求医。
- P304 + P340 如误吸入: 将受害人转移到空气新鲜处, 保持呼吸舒适的休息姿势。
- P312 如感觉不适, 呼叫解毒中心或医生。安全储存:
- P403 + P233 存放在通风良好的地方。保持容器密闭。
- P405 存放处须加锁。废弃处置:
- P501 将内容物处理到得到批准的废物处理厂。

3. 成分识别资料 Substance Identification

纯物质: 可充式锂离子電池组

Substance: Rechargeable Li-ion Battery

成分 Composition:

2-1. 印制板装配

Printed Circuit Board Assembly

无危险

No dangerous

2-2. 电芯: COSMX CA436590Q 4870mAh *1
 Cell: COSMX CA436590Q 4870mAh *1

物质名称	Cas No.	含量
氧化钴锂 Lithium cobalt oxide	12190-79-3	25%—40%
铝 Aluminum	7429-90-5	10%—40%
石墨 Graphite	7782-42-5	10%—20%
铜 Copper	7440-50-8	5%—15%

UN 分类: 危险物锂电池

UN Class: Even classified as lithium batteries, they are Dangerous Goods.

联合国 《关于危险货物运输的建议书，试验和标准手册》（ST/SG/AC.10/11/ Rev.6/ Section 38.3）

United Nations Recommendations on the Transport of Dangerous Goods, Manual of Test and Criteria. (ST/SG/AC.10/11/ Rev.6/Section 38.3)

4 危险物质鉴别 **Hazards Identification**

主要侵入途径: 皮肤接触，皮肤吸收；眼睛接触，吸入。

Primary routes of entry: Skin contact, Skin absorption; Eye contact, Inhalation.

误食: 无

ingestion: NO

暴露征兆: 皮肤接触，在常规作业及使用中无影响。

Symptoms of exposure: Skin contact, No effect under routine handling and use.

皮肤吸收: 在常规作业及使用中无影响。

Skin absorption: No effect under routine handling and use.

眼睛接触: 在常规作业及使用中无影响。

Eye contact: No effect under routine handling and use.

吸入: 在常规作业及使用中无影响。

Inhalation: No effect under routine handling and use.

致癌物质报告: 不适用

Reported as carcinogen: Not applicable

5 急救方法 **First Aid Measures**

摄取: 若不甚吞咽，必须马上送医。

Ingestion: If swallowed, Obtain medical attention immediately.

吸入: 离开这些区域，并马上送医。

Inhalation: Leave area immediately and seek medical attention.

眼睛接触: 用清水清洗眼睛 15 分钟并马上送医。

Eye Contact: Rinse eyes with water for 15 minutes and seek medical attention

皮肤接触：用肥皂彻底清洗皮肤接触部位并马上送医。

Skin Contact: Wash area thoroughly with soap and water and seek medical attention.

误食：喝牛奶或清水并催吐；后马上送医。

Ingestion: Drink milk/water and induce vomiting; seek medical attention

6. 防火措施 **Fire Fighting Measures**

灭火介质：就燃烧材料使用合适的灭火介质。

Extinguishing Media: Use extinguishing media suitable for the materials that are burning.

灭火器材：使用 NIOSH/MSHA 批准的带有巴固呼吸器的全罩式防护沙尘面具。

Firefighting Equipment: Use NIOSH/MSHA approved full-face self-contained breathing apparatus (SCBA) with full protective gear.

7. 意外情况解救方法 **Accidental Release Measures**

陆地上：将泄漏物收集在可密闭容器中并寻求当地火警/警属部门帮助。

On Land: Place material into suitable containers and call local fire/police department.

水中：尽量将其从水中取出并寻求当地火警/警属部门帮助。

In Water: If possible, remove from water and call local fire/police department.

8. 操作及贮存 **Handling and Storage**

操作：对于单个电池的操作无需着特别的防护服。

Handling: No special protective clothing required for handling individual pack.

贮存：保存在阴凉、干燥的地方。

Storage: Store in a cool, dry place.

9 暴露管理/个人防护 **Exposure Controls / Personal Protection**

工程控制：远离热的或明火区域。

Engineering Controls: Keep away from heat and open flame.

个人防护 **Personal Protection**:

呼吸器：在正常操作下无须配戴，但在火灾发生时必须要求使用巴固呼吸器。

Respirator: Not required during normal operations. SCBA required in the event of a fire.

眼睛/脸部保护：在正常安全操作时无要求。

Eye/Face Protection: Not required beyond safety practices of employer.

手套：操作电池时无须使用。

Gloves: Not required for handling of battery.

足部保护：在搬动大包装箱时推荐穿着钢制钉鞋。

Foot Protection: Steel toed shoes recommended for large container handling.

10. 物理及化学特性 **Physical and Chemical Properties**

形态 State	固体 Solid
气味 Odor	不适用 N/A
酸碱度 PH	不适用 N/A
蒸气压力 Vapor pressure	不适用 N/A
蒸气密度 Vapor density	不适用 N/A
沸点 Boiling point	不适用 N/A
水溶性 Solubility in water	不溶 Insoluble
特殊引力 Specific gravity	不适用 N/A
密度 Density	不适用 N/A

11. 安定性和反应性 **Stability and Reactivity**

反应性：无

Reactivity: None

不相容性：在正常操作中无此情况。避免暴露在热的、明火附近区域和腐蚀性环境下。

Incompatibilities: None during normal operation. Avoid exposure to heat, open flame, and Corrosives.

避免情况：避免暴露在热的、明火附近区域。不得刺破、碾压或烧弃。

Conditions to Avoid: Avoid exposure to heat and open flame. Do not puncture, crush or incinerate.

12. 毒性资料 **Toxicological Information**

在正常操作和使用中不会引起毒学反应。

This product does not elicit toxicological properties during routine handling and use.

13. 废弃处置 **Disposal considerations**

处理建议：回收有用材料，不能随意丢弃。

Advice on disposal: Recycle the useful materials. Must not be carelessly disposed.

受污染的包装：按照当地规定处理。

Contaminated packaging: Disposal in accordance with local regulations.

14. 运输资料 Transport Information

在运输时，必须保证装载此物品的容器无漏液和溢出情况，搬动时勿造成坠落或直接丢落或破损，防止物品散落或受潮。包装箱必须小心轻放，勿振动，否则会造成电芯间的互相碰撞，如果包装破损时请小心处理可燃性的隐患，可参见条款 7-操作及贮存。

In the case of transportation, confirm no leakage and no overspill from a container. Take in a cargo of them without falling, dropping and breakage. Prevent collapse of cargo piles and wet by rain. The container must be handled carefully. Do not give shocks that result in a mark of hitting on a cell. Handle with care and flammability hazard exists if the package is damaged. Please refer to Section 7-HANDLING AND STORAGE also.

- 编码及类项依据法规条例如下：

Codes and classifications according to:

- * 国际空运危规按照 IATA-DGR 类项：PI965的IB或II部分，PI966/967的II部分
International regulations for transport Air IATA-DGR: section IB or II of PI965, section II of PI966/967
 - * 国际海运危规按照 IMO IMDG CODE 类项：特别规定 188
International regulations for transport Sea IMDG CODE: special provision 188
 - * 铁路/公路运输危规按照 GB 12268-2012 类项
National regulations for transport land GB 12268-2012
- UN分类文件号：类项9 3480(PI965)、3481(PI966/967)
The UN classification number: Class 9 3480(PI965), 3481(PI966/967)



通过了UN38.3试验、1.2米跌落试验，按照国际航空运输协会（危险品规则）办理类项，该物品满足包装说明PI965 IB或II部分、PI966/967的II部分，可以按照PI965 IB或II部分、PI966/967的II部分办理。按照（国际海运危险货物规则）办理类项，根据特殊规定188，该物品不受IMO IMDG CODE其他规定限制，按非限制性货物包装要求办理，按陆运 GB 12268-2012 规定办理。

According to the International Air Transport Association (IATA)-Dangerous Goods Regulation (DGR), this product passed UN38.3 test and 1.2m dropping test. This item satisfies section IB or II of PI965 and section II of PI966/967. The product can be transported based on section IB or II of PI965 and section II of PI966/967. According to special provision 188 in the IATA-DGR, this item can be transported based on unrestricted good packing requirement without the other restriction of IMO IMDG CODE and can be transported based on Road Transport GB 12268-2012.

Production of MSDS proving UN manual of Tests and Criteria, part III, sub-section 38.3 is met on MSDS.

UN 检验结果 UN Test Result

根据 UN 建议进行检测表明本品符合（检验手册及标准，第 III 部分，38.3 项）

There are no hazards in accordance with the UN recommendations tests (Manual of Tests and Criteria, Part III, sub-section 38.3)

编号 NO	项目 ITEMS	结果 RESULT	备注 REMARKS
1	高空模拟 Altitude Simulation	通过 Pass	
2	热试验 Thermal Shock	通过 Pass	
3	振动 Vibration	通过 Pass	
4	冲击 Shock	通过 Pass	
5	外部短路 External Short Circuit	通过 Pass	
6	撞击/挤压 Impact/Crush	通过 Pass	
7	过充电 Overcharge	通过 Pass	
8	强制放电 Forced Discharge	通过 Pass	

15. 法规资料 Regulatory Information

美国职业安全健康管理法危害通讯标准(29 CFR 1910.1200)

This product does not elicit toxicological properties during routine handling and use.
 OSHA Hazard communication standard (29 CFR 1910.1200)

_____ 危险 Hazardous √ 无危险 Non-hazardous

16. 其他信息 Other Information

包含在此份安全数据表中的所有信息均根据目前的知识形势及现有的法律法规。

The information contained in this Safety data sheet is based on the present state of knowledge and current legislation.

此份安全数据表提供了包括产品健康、安全和环境方面的指导，但不能作为技术参数或特殊应用时所适用的保证。

This safety data sheet provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications.

17. 参考 Reference

- 化学物质信息 Chemical substances information:

- 日本高级安全信息中心和健康国际化学品安全卡(ICSCs)

Japan Advanced Information center of Safety and Health International Chemical Safety Cards (ICSCs)

- 国际职业安全与健康信息中心 (CIS)

International Occupational Safety and Health Information Centre (CIS)

- 污染排放物极限值 TLVs 和生物暴露指数 BEIs: 美国政府工业卫生师协会 (ACGIH)

TLVs and BEIs: American Conference of Governmental Industrial Hygienists (ACGIH)

- 危险品法规 Dangerous Goods Regulations:

- 第 65 版 IATA-DGR (2024/01/01 生效): 国际航空运输协会 (IATA);

65th Edition of IATA DGR Effective 1 January 2024: International Air Transport Association(IATA);

- IMDG CODE 41-22版于 2024年 1 月 1 日生效: 国际海事组织 (IMO);

41-22th Edition of IMDG CODE Effective 1 January 2024: International Maritime Organization(IMO);

- GB 12268 于 2012/12/01 生效: 国家标准化管理委员会 (SAC)和JT/T617-2018 (特殊条款188) 于2018/12/01生效, 交通运输部

GB 12268 Effective 1 December 2012: Standardization Administration of the People's Republic of China And JT/T617-2018 (special clause 188) take effect on 12/01/2018, Ministry of Transport

— 本报告有效期至 2024 年 12 月 31 日。

— The report is valid until December 31, 2024.